



Manufacturer's Certification Statement
Pertaining to the
American Recovery and Reinvestment Act of 2009

Pella® Storm Doors

This manufacturer's certification statement provides the documentation needed to receive an energy tax credit for Pella Storm Doors under the American Recovery and Reinvestment Act of 2009.

This statement pertains to the class of storm doors, which have been identified and defined in Section 4.01 of IRS Notice 2009-53 as an eligible building envelope component. Under IRS Notice 2009-53, a storm door is an eligible building envelope component when it, in combination with the exterior door over which it is installed, has a U-factor and Solar Heat Gain Coefficient (SHGC) of 0.30 or below, and meets the prescriptive criteria established by the International Energy Conservation Code (IECC).

This statement certifies that the following storm door models when used in combination with certain classes of exterior doors over which they are installed, will have a combined U-factor and SHGC of 0.30 or below and meet the applicable IECC prescriptive criteria. The following tables identify the classes of exterior doors over which the storm doors may be installed in order to qualify for the tax credit.

Qualifying Pella Storm Door models:

Extruded Aluminum Construction

Models 6000, 4602, 4601, 3825, 3800, 3020, 3010, P56-60

Models Ashford, Hartford, Meadowview, Montgomery, Royalton, Select®, Wellsley

Solid Core Construction

Models 3570, 3550, 3525, 3031, 3030

Models Cheyenne, Courtyard, Glenview, Helena, Olympia

[IRS Notice 2006-26](#) suggests the taxpayer is not required to attach this certification statement to their tax return. However,

The above storm doors qualify for the tax credit when used in combination with the following classes of entry doors:

STEEL ENTRY DOORS

Entry Door Construction	Glass Size	Glass Type	Eligibility of Pella Solid Core Storm Doors (see model numbers above)	Eligibility of Pella Extruded Aluminum Storm Doors (see model numbers above)
Insulated Steel, 1-3/4" thick panel	Unglazed		Yes	Yes
	1/2 lite or smaller	Single-glazed, clear glass	No	Yes
		Double-glazed, clear glass	Yes	Yes
		Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
		Triple-glazed, clear or decorative glass	Yes	Yes
	Larger than 1/2 lite	Single-glazed, clear glass	No	No
		Double-glazed, clear glass	No	No
		Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
		Triple-glazed, clear or decorative glass	Yes	Yes

FIBERGLASS ENTRY DOORS

Entry Door Construction	Glass Size	Glass Type	Eligibility of Pella Solid Core Storm Doors (see model numbers above)	Eligibility of Pella Extruded Aluminum Storm Doors (see model numbers above)	
Insulated Fiberglass, 1-3/4' thick panel		Unglazed	Yes	Yes	
		1/2 lite or smaller	Single-glazed, clear glass	Yes	Yes
			Double-glazed, clear glass	Yes	Yes
			Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
			Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
			Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
			Triple-glazed, clear or decorative glass	Yes	Yes
		Larger than 1/2 lite	Single-glazed, clear glass	No	No
			Double-glazed, clear glass	No	No
			Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
			Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
			Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
			Triple-glazed, clear or decorative glass	Yes	Yes

SOLID WOOD ENTRY DOOR

Entry Door Construction	Glass Size	Glass Type	Eligibility of Pella Solid Core Storm Doors (see model numbers above)	Eligibility of Pella Extruded Aluminum Storm Doors (see model numbers above)
Wood, Solid Slab, 1-3/4" thick panel	1/2 lite or smaller	Unglazed	Yes	Yes
		Single-glazed, clear glass	No	No
		Double-glazed, clear glass	Yes	Yes
		Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
		Triple-glazed, clear or decorative glass	Yes	Yes
	Larger than 1/2 lite	Single-glazed, clear glass	No	No
		Double-glazed, clear glass	No	No
		Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
		Triple-glazed, clear or decorative glass	Yes	Yes

WOOD RAISED PANEL

Entry Door Construction	Glass Size	Glass Type	Eligibility of Pella Solid Core Storm Doors(see model numbers above)	Eligibility of Pella Extruded Aluminum Storm Doors(see model numbers above)
Wood, Raised Panels, 1-3/4" thick panel		Unglazed	Yes	Yes
	1/2 lite or smaller	Single-glazed, clear glass	No	No
		Double-glazed, clear glass	No	Yes
		Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
		Triple-glazed, clear or decorative glass	Yes	Yes
	Larger than 1/2 lite	Single-glazed, clear glass	No	No
		Double-glazed, clear glass	No	No
		Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
		Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
		Triple-glazed, clear or decorative glass	Yes	Yes

WOOD HOLLOW ENTRY DOOR

Entry Door Construction	Glass Size	Glass Type	Eligibility of Pella Solid Core Storm Doors (see model numbers above)	Eligibility of Pella Extruded Aluminum Storm Doors (see model numbers above)	
Wood, Hollow Core, 1-3/4" thick panel		Unglazed	No	No	
		1/2 lite or smaller	Single-glazed, clear glass	No	No
			Double-glazed, clear glass	No	No
			Double-glazed, hardcoat low emissivity glass, air-filled	Yes	Yes
			Double-glazed, softcoat low emissivity glass, air-filled	Yes	Yes
			Double-glazed, softcoat low emissivity glass, argon-filled	Yes	Yes
			Triple-glazed, clear or decorative glass	Yes	Yes
		Larger than 1/2 lite	Single-glazed, clear glass	No	No
			Double-glazed, clear glass	No	No
			Double-glazed, hardcoat low emissivity glass, air-filled	No	Yes
			Double-glazed, softcoat low emissivity glass, air-filled	No	Yes
			Double-glazed, softcoat low emissivity glass, argon-filled	No	Yes
			Triple-glazed, clear or decorative glass	No	Yes

For tax purposes, the taxpayer should retain this certification statement and their purchase receipt(s) as part of their tax records. As in all tax matters, the taxpayer is advised to consult their tax professional. Larson Manufacturing, Pella Corporation, and sales partners assume no liability regarding the homeowner's ability to obtain tax credits.

Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct, and complete.

Signed:

Craig H. Johnson, CFO, Larson Manufacturing
 Larson Manufacturing Company, Brookings, SD, is the manufacturer of Pella storm doors.

June 11, 2009